

LET'S DO IT!





Science Is A Verb!

Part 7







Teacher Edition



Contents

LAB TITLE	PAGE
INTRODUCTION	
WHERE ARE WE POSITIONED? Students know position is defined in relation to some choice of a standard reference point and a set of reference directions.	1
HOW FAST DOES A TOY CAR MOVE ? Students know that average speed is the total distance travelled divided by the total time elapsed and that the speed of an object along the path travelled can vary. Students know how to solve problems involving distance, time, and average speed.	9
HOW DO SPEED AND VELOCITY COMPARE? Students know the velocity of an object must be described by specifying both the direction and the speed of the object.	15
WHAT HAPPENS WHEN THE VELOCITY OF A TOY CAR CHANGES? Students know changes in velocity may be due to changes in speed, direction, or both.	23
HOW FAST DOES A CAR MOVE? Students know how to interpret graphs of position versus time and graphs of speed versus time for motion in a single direction.	29
HOW DO FORCES ACT ON OBJECTS? HOW DOES A BUILDING COLLAPSE? Students know a force has both direction and magnitude. Students know when an object is subject to two or more forces at once, the result is the cumulative effect of all the forces. Students know when the forces on an object are balanced, the motion of the object does not change. Students know how to identify separately the two or more forces that are acting on a single static object, including gravity, elastic forces due to tension or compression in matter, and friction. Students know that when the forces on an object are unbalanced, the object will change its velocity (that is, it will speed up, slow down, or change direction).	34 46
HOW DOES MASS AFFECT HOW A TOY CAR MOVES? Students know the greater the mass of an object, the more force is needed to achieve the same rate of change in motion.	52

LAB TITLE	PAGE
WHAT IS THE STRUCTURE OF AN ATOM?	57
Students know the structure of the atom and know it is composed of protons,	
neutrons, and electrons.	
Students know how to use the periodic table to identify elements in simple	
compounds.	
Students know each element has a specific number of protons in the nucleus	
(the atomic number) and each isotope of the element has a different but	
specific number of neutrons in the nucleus.	
HOW IS MATTER ORGANISED AT THE MOLECULAR LEVEL?	64
Students know atoms and molecules form solids by building up repeating	
patterns, such as the crystal structure of NaCl or long-chain polymers.	
HOW DO YOU MODEL MOLECULAR MOTION?	69
Students know atoms and molecules form solids by building up repeating	
patterns, such as the crystal structure of NaCl or long-chain polymers.	
Students know the states of matter (solid, liquid, gas) depend on molecular	
motion.	
Students know that in solids the atoms are closely locked in position and can	
only vibrate; in liquids the atoms and molecules are more loosely connected	
and can collide with and move past one another; and in gases the atoms and	
molecules are free to move independently, colliding frequently.	
Students know physical processes include freezing and boiling, in which a	
material changes form with no chemical reaction.	
HOW DO WE CATEGORISE GALAXIES?	75
Students know galaxies are clusters of billions of stars and may have different	
shapes.	
HOW DO WE CATEGORISE STARS?	86
Students know that the Sun is one of many stars in the Milky Way galaxy and	
that stars may differ in size, temperature, and colour.	
HOW ARE ASTRONOMICAL DISTANCES MEASURED?	93
Students know how to use astronomical units and light years as measures of	
distances between the Sun, stars, and Earth.	
HOW CAN WE SEE THE PLANETS IN THE SOLAR SYSTEM?	99
Students know that stars are the source of light for all bright objects in outer	
space and that the Moon and planets shine by reflected sunlight, not by their	
own light.	

LAB TITLE	PAGE
WHAT DO WE KNOW ABOUT THE PLANETS?	105
Students know the appearance, general composition, relative position and	
size, and motion of objects in the solar system, including planets, planetary	
satellites, comets, and asteroids.	
Students know the role of gravity in forming and maintaining the shapes of	
planets, stars, and the solar system.	
WHAT ARE THE PATHS OF THE DIFFERENT OBJECTS IN THE	120
SOLAR SYSTEM?	
Students know the appearance, general composition, relative position and	
size, and motion of objects in the solar system, including planets, planetary satellites comets and asteroids	
Students know the role of gravity in forming and maintaining the shapes of	
planets, stars, and the solar system.	
HOW DO PROPERTIES CHANGE IN A CHEMICAL REACTION?	129
Students know reactant atoms and molecules interact to form products with	
different chemical properties.	
WHAT HAPPENS DURING A CHEMICAL REACTION?	137
Students know the idea of atoms explains the conservation of matter: In	
chemical reactions the number of atoms stays the same no matter how they	
are arranged, so their total mass stays the same.	
Students know that compounds are formed by combining two or more	
different elements and that compounds have properties that are different	
from their constituent elements.	
HOW DOES TEMPERATURE CHANGE IN CHEMICAL	143
REACTIONS? Students know chemical reactions usually liberate heat or	
absorb heat.	
HOW DO WE DETERMINE IF A SUBSTANCE IS ACIDIC, BASIC,	148
OR NEUTRAL?	
Students know how to determine whether a solution is acidic, basic, or	
neutral.	
WHAT ARE THE MOST COMMON ATOMS?	154
Students know that carbon, because of its ability to combine in many ways	
with itself and other elements, has a central role in the chemistry of living	
organisms.	
Students know that living organisms are made of molecules consisting	
largely of carbon, hydrogen, nitrogen, oxygen, phosphorus, and sulfur.	

LAB TITLE	PAGE
WHAT ARE LIVING THINGS MADE OF?	160
Students know that living organisms have many different kinds of molecules,	
including small ones, such as water and salt, and very large ones, such as	
carbohydrates, fats, proteins, and DNA.	
HOW IS THE PERIODIC TABLE ORGANISED?	166
Students know how to identify regions corresponding to metals, nonmetals,	
and inert gases.	
WILL IT FLOAT?	174
Students know substances can be classified by their properties, including	
their melting temperature, density, hardness, and thermal and electrical	
conductivity.	
Students know density is mass per unit volume.	
Students know how to calculate the density of substances (regular and	
irregular solids and liquids) from measurements of mass and volume.	
Students know how to predict whether an object will float or sink.	
WHY DO YOU FEEL LIGHTER IN A SWIMMING POOL?	182
Students know the buoyant force on an object in a fluid is an upward force	
equal to the weight of the fluid the object has displaced.	

Introduction to the lab manual:

This lab manual provides structure for teachers who wish to engage students in hands-on interactive learning but also provides support for teachers who are more comfortable with enquiry based learning. If you are a teacher who is taking his or her first"dive" into hands-on Science, the background material is designed to provide enough structure to help support the organisation of the lab and its materials. Most of the materials are commonly found in local supermarkets and department stores at a nominal cost. A few materials, like scales and hand microscopes can be found on-line. The lab sheets can be given to students so they follow step-by-step or they can be told a general structure to follow.

The critical portion of any lab is to have a thorough discussion of the results and their thinking after the experiment is completed. It is suggested that you take as much time as the experiment to have this discussion with students. The real learning occurs not from the hands-on experiment, but from a deep discussion of the experiment, while making connections to the concept they are learning. For this reason, it is suggested that the students do the experiment FIRST and then have the students learn the concepts. They will have a better understanding of the concept if they first conduct an experiment, gain the experience and then discuss a new concept.

Even without a strong Science background, get into the habit of asking questions. The process of asking questions and being inquisitive will generate more excitement for students and will engage them in a deeper way of learning Science. "I don't know" is as important to learning as having all the answers. Together you can learn Science and discover the major ideas that Scientists' research.

If you are an experienced teacher, the Teacher Guided Questions to Enquiry are designed to provide prompts for students. These questions are not intended to be assessment questions, but ones that will engage students in the general direction of the benchmark. The teacher may select one or two, but not all of them, to have students start on an open enquiry approach to learning. The students will engage in their own experiment, create their own procedures and make conclusions from their data. For this reason, there are no answers to those questions. They are open ended and can be used to formulate interesting experiments for advanced students. The slight variation in some of the questions in each of the labs is designed to provide a sufficient number of prompts at various levels of Bloom's Taxonomy to engage students.

Throughout the year, encourage questioning, student dialogue and the scientific process. There is no one exact scientific method as is often suggested. The process of learning about the world and universe, drawing conclusions from facts and building these facts into strong scientific theories is the work of Science. Science is always growing, stretching and expanding its knowledge base. It is about challenging well-supported ideas to discover weakness. This is exactly what students should be encouraged to do! And in the end, Science is not something to study, it is something to do!

Science is a VERB!

Science is a Verb

Density and Buoyancy

WHY DO YOU FEEL LIGHTER IN A SWIMMING POOL?

Description: Students will explore Archimedes principle by measuring the weight of objects in and out of water and compare the difference in the measurements.

Student Materials (per group):

- Spring Scale (with Newtons)
- Cup
- Pie Pan
- Object (that will fit in a cup and will sink golf ball

Background and Misconceptions:

Archimedes was an advisor to King Hiero II of Sicily. He was posed a problem to determine if a crown that was created for the king was real. His solution came while he was sitting in the bath tub. He noticed that he felt lighter when he was in the tub and the weight of the water that his body displaced was equal to the decrease in his own weight. When he used this idea to determine if the crown was a fake, he measured the weight of the crown. He then put in an equal weight of pure gold into a bucket of water and filled it to the top. He figured that if the crown was not made out of gold, when it was placed into the bucket, if it were made out of something like silver or other cheaper metals, it would have a greater upward force on it – it would be more buoyant. So he removed the gold, placed the crown was not real!

Archimedes had discovered a fundamental principal that all fluids exert an upward force on objects. (A fluid is classified as both a liquid and a gas, so while Archimedes' Principle is usually taught as applied to liquids like water, it applies also to objects in the atmosphere). When a brick is placed into a container of water its weight decreases. The amount of decrease in the weight is equal to the WEIGHT of the water displaced. While the brick may weight 30 newtons in the air, when it is submerged into a container

Additional Teacher Materials:

- String
- Tape

of water, its weight may now be 20 newtons. This means that the volume of the brick displaces an amount that equals 10 newtons. Remember that students may confuse VOLUME and WEIGHT in this case. When the brick is in water, it displaces a great deal more weight than while the brick is in the air. The air is also providing an upward buoyant force, but the weight of air displaced is much less than water because water has a much higher density.

Archimedes' principle is also the reason why ships float. (It can also be explained in terms of density). When the ship is in water, it displaces an amount of water that is equal to its volume. If the amount of water displaced is equal to the weight of the ship, it floats! The ship will partially sink into the water until the amount of water displaced is equal to the weight of the ship.

In general:

- If an object is submerged in the water, the buoyant force is equal to the VOLUME of the object.
- If an object is floating on the water, the buoyant force is equal to the WEIGHT of the object.

If you were to float on an inflatable raft in a pool and measure the water level, you would find that if you fell off the raft and were completely submerged in the pool, the water level would drop! The buoyant force is greater when you float in water as possible to being completely submerged in water.

of the displaced fluid $\begin{pmatrix} 7 & 0 & 1 \\ 6 & kg & 2 \\ 5 & 4 & 3 \\ & & & & & & & \\ & & & & & & & \\ & & & & & & & \\ & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & \\ & & & & & & & & \\ & & & & & & & \\ & & & & & & & \\ & & & & & & & \\ & & & & & & & \\ & & & & & & & \\ & & & & & & & \\ & & & & & & & \\ & & & & & & & \\ & & & & & & & \\ & & & & & & & \\ & & & & & & & \\ & & & & & & & \\ & & & & & & & \\ & & & & & & & \\ & & & & & & & \\ & & & & & & & \\ & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & \\ & & & & & & & \\ & & & & & & & & \\ & & & & & & & \\ & & & & & & & \\ & & & & & & & \\ & & & & & & & \\ & & & & & & & \\ & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & &$

Archimedes Principle

The buoyant force equals the weight

Teacher Guided Questions to Enquiry:

Use these questions to get the students started on their own enquiry!

- 1. How do ships float?
- 2. What happens to the force on your body when you are submerged in a swimming pool?
- 3. Why do you feel lighter when you are swimming in a pool?

Additional Hints:

- If the object that is being used can not be attached to the spring scale easily, tie or tape a piece of string to the object.
- The must be dense enough to sink in water and small enough to fit in the cup. Use objects like a golf ball, a rock, or a rock that has about 50 100 mL volume.
- If students are using a scale that lacks units of newtons, show students how to calculate the weight using F=ma ($a = 9.8 \text{ m/s}^2$)

Density and Buoyancy

WHY DO YOU FEEL LIGHTER IN A SWIMMING POOL?

TEACHER ANSWER KEY

Description: When you swim in a pool, it is easy to notice that you feel lighter. The water is providing a force that causes you to be suspended in the water. This force is called a buoyant force and was first discovered and explained by Archimedes.

In this experiment you are going to explore Archimedes Principle.

Materials:	Spring Scale (N)	Cup	Pie Pan
	Object	Digital scale	

Procedures:

- In this lab, you will be placing an object on a spring scale. The spring scale can measure the weight pulling the object down and the net force acting on the object. Below, draw your prediction of the force diagram of an object hanging from a spring scale. Label the gravity pulling the object down and the tension acting on the object from the scale.
- Then draw this same object immersed in a container of water. Again, label the force of the spring scale, gravity and the buoyancy force acting on the object.



Teacher Edition

WHY DO YOU FEEL LIGHTER IN A SWIMMING POOL?

- 3. Record the force acting on the object out of water using the spring scale.
- 4. Weigh the empty water collection container with the spring scale.
- 5. Place a cup into a pie pan. Fill the cup all the way to the top.
- 6. Slowly immerse the object in the water. Watch as the force measurement changes.
- 7. When the object is fully immersed in water, record the final net force measurement on the spring scale
- 8. Remove the scale and water cup. Weigh the water that overflowed into the pie pan. (Remember to subtract the weight of the pie pan!)
- 9. Record all data in the table.
- 10.Collect information from at least three other groups in the classroom.

Net force (on spring scale) before immersing in water	Net force (on spring scale) when fully immersed in water	Change in net force acting on the object	Group 2 Force:	
10 Noutors	9 Noutors	2 Noutons	Group 3 Force:	
I U INEWTONS	8 NEWTONS	2 Newtons	Group 4 Force:	

WHY DO YOU FEEL LIGHTER IN A SWIMMING POOL?

Observations- How did the net force acting on the object change as you lowered it into water?

The force decreased.

Weight of empty container (m x 9.8 m/s²)	Weight of container with water (m x 9.8 m/s²)	Weight of water that spilled out (m x 9.8 m/s²)	Group 2 Force:	
25 pourtons	0.05 poutopo	0 noutons	Group 3 Force:	
.25 newtons	2.25 newtons	2 newtons	Group 4 Force:	

WHY DO YOU FEEL LIGHTER IN A SWIMMING POOL?

Questions:

1. Look at the weight of the water that spilled out and the change in net force. What do you notice about these values?

They are the same. The amount that the force decreased equals the weight of the water.

2. Describe what you think is going on with the forces as you lower the object into the water.

The water is providing an upward buoyant force on the object causing it to pull down on the scale with less force.

3. Draw a diagram of the buoyant force acting on an object.



4. Based on the results of this experiment how would you explain the idea that Archimedes discovered?

The buoyant force of an object in water is equal to the weight of water displaced by the object.